SUPPLIER:

TECHNICAL CONCEPTS (PTY) LTD. 34 MOPEDI ROAD, SEBENZA, EDENVALE 1609 **SOUTH AFRICA**

MATERIAL SAFETY DATA SHEET

ACCORDING TO 91/155/EC (as amended 2001/58/EC) ISSUING DATE: October 2006

SECTION 1 - IDENTIFICATION OF SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

Product Details.

Trade Name: **Technical Concepts**

Microburst 3000 Insecticide

Use: Metered aerosol insecticide space sprays designed for use in proprietary automated

dispensers.

Supplier: Technical Concepts (Pty) Ltd.

> 34 Mopedi Road, Sebenza, Edenvale 1609

South Africa

Tel: 0027 (0)11 609 9943 Fax: 0027 (0)11 609 1172

Informing Department: Technical Services Department

SECTION 2 - COMPOSITION/DATA ON COMPONENTS

Chemical Characterisation

Description: Mixture of organic solvents, insecticides and

propane/iso-butane (propellant)

Dangerous Components:

Designation EC No. CAS No. **Symbol R-Phrases** % Pyrethrum 8003-34-7 232-319-8 20-50/53 1.25 Xn, N Piperonyl butoxide 51-03-6 200-076-7 51/53 10 - 15

Additional information For additional information refer to section 15.

For the wording of the listed risk phrases refer to section 16.

SECTION 3 - HAZARDS IDENTIFICATION

Hazard Designation: Flammable

Information pertaining to particular

dangers for man and environment: R10 Flammable.

Classification System The classification is in line with current lists. It is expanded, however, by information from

technical literature and by information furnished by supplier companies.

SECTION 4 - FIRST AID MEASURES

After inhalation Supply fresh air, consult a doctor if symptoms develop.

After skin contact Remove soaked clothing and launder before reuse. Wash skin with water and soap.

If symptoms develop or persist, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water. If symptoms persist,

consult a doctor.

After swallowing Rinse mouth. DO NOT INDUCE VOMITING. Consult a doctor.

SECTION 5 - FIRE FIGHTING MEASURES

Suitable Extinguishing Agents: CO₂, extinguishing powder or alcohol-resistant foam.

For safety reasons unsuitable

extinguishing agents:

Water jet.

Special hazards caused by the material, its products of

combustion or flue gases: In case of fire CO may be possible.

Protective Equipment: Wear protective clothing/equipment when fighting fires.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

Measures for environmental

protection: No special measures required.

Measures for cleaning/collecting: Ensure adequate ventilation. Absorb liquid components with

liquid binding material (sand, diatomite, acid binders, universal binders,

sawdust).

SECTION 7 - HANDLING AND STORAGE

Handling

Information for safe handling: Ensure good ventilation/exhaustion at the workplace.

Information about protection Keep ignition sources away - Do not smoke.

against explosions and fires: Beware: Container is pressurised. Keep away from direct sun

exposure and temperatures over 50°C. Do not open by force or

throw into fire, even after use.

Do not spray on flames or red-hot objects.

Storage

Requirements to be met by Store in cool location

storerooms and containers: Observe official regulations on storing packagings with

pressurised containers.

Information about storage in one

common storage facility: Do not store together with strong acids and strong oxidising agents.

Further information about

storage conditions: Protect from heat and direct sunlight.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Additional information about

design of technical systems: No further data; see item 7.

Components with critical values that require monitoring at the

workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the

workplace.

Additional information:

WEL - Values: EH40(2005)

Propane

Listed as an asphyxiant with no limit set

Personal protective equipment

General protective and hygienic

measures: Wash hands during breaks and at the end of the work.

Breathing equipment: Not required, but ensure adequate ventilation when using the product.

Protection of hands: Not required when used as directed.

Eye protection: Not required when used as directed.

CECTION OF THE STATE OF THE STA

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form: Aerosol

Colour: According to Product specification.

Smell: Perfume

Value/Range Unit Method

Change in condition

Melting point/Melting range: Not applicable, as aerosol

Boiling point/Boiling range: Not applicable, as aerosol

Flash point: Not applicable, as aerosol

Self-flammability: Product is not self-igniting.

Danger of explosion: Product is not explosive. However, formation of explosive

air/steam mixtures is possible.

Critical values for explosion:

 Lower:
 0.6
 Vol %

 Upper:
 13.0
 Vol %

Vapour pressure: at 20° C 4.5 - 5.5 bar

Density: at 20° C 0.636 ± 0.006 g/cm³

Solubility in/Miscibility with

Water: Partly miscible

SECTION 10 - STABILITY AND REACTIVITY

Thermal decomposition/

conditions to be avoided: No decomposition if used according to instructions.

Dangerous reactions: No dangerous reactions known.

Materials to be avoided: Oxidising agents and strong acids.

Dangerous products of

decomposition: In case of fire CO and CO_2 may be possible.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute toxicity:

Primary irritant effect:

On the skin: Irritation may be possible. On the eye: Irritation may be possible.

SECTION 12 - ECOLOGICAL INFORMATION

General notes: Water hazard class 1 (Self-assessment): slightly hazardous for

water.

Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

SECTION 13 - DISPOSAL CONSIDERATIONS

Product:

Recommendation: Disposal must be made according to local regulations via a licensed waste contractor.

Uncleaned packagings:

Recommendation: Disposal must be made according to local regulations via a licensed waste contractor.

SECTION 14 - TRANSPORT INFORMATION

Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)

ADR/RID Class: 2 UN Number: 1950

Correct technical name: Aerosols (Flammable) **Label:** Diamond shaped, framed

Remarks: UN 1950 AEROSOLS should be placed inside the diamond shaped label.

Goods are classed as "Limited Quantities" and are therefore exempt from ADR

regulations. Check local local legislation for domestic transport.

Maritime transport IMDG/GGVSea

IMDG/GGVSea Class:2UN Number:1950EMS Number:F-D, S-UMarine PollutantNoCorrect technical name:Aerosols

Remarks "Limited Quantity"

AEROSOLS is required according to IMDG regulations

Air transport ICAO-TI and IATA-DGR

ICAO/IATA Class: 2.1 UN/ID Number: 1950

Correct Technical Name: Aerosols, flammable Remarks: "Limited Quantity"

SECTION 15 - REGULATORY INFORMATION Designation according to EC The product has been labelled in accordance with relevant national laws. **Guidelines:** For Professional use only Code letter and hazard designation of product: R10 Flammable. Safety phrases: Keep out of reach of children, uninformed persons and animals. Keep away from sources of ignition - No smoking. Do not breathe spray. Use only in well-ventilated areas. Avoid excessive inhalation and food contamination. Avoid spraying over plastic surfaces. Cover fish bowls and tanks. National regulations: Reg No: L7625 Act 36 of 1947 Registration holder: MECS Contract Filling and Manufacturing (Pty) Ltd., P.O. Box 8388, Edenglen, 1613. Reg No. 1960/000 611 /07 Special designation of certain preparations: Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. **SECTION 16 - OTHER INFORMATION** R-phrases used in document: R10 Flammable R20 Harmful by inhalation R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment This data is based on our present knowledge. However, it shall not constitute a guarantee for any specific product Department issuing data specification sheet: Technical Services Department.

features and shall not establish a legally valid contractual relationship.

Contact: Mr. K. Anderson

Sources: Raw material Safety Data sheets

EH40/2005 Occupational Exposure limits (UK)

Revision data: Rev.1 Rev. 1 - Initial Revision.

Print Date: